



# IKAROS Hand Flare White

## Safety Data Sheet

Issue date: 12/22/2025 Revision date: 01/22/2026 Supersedes version of: 12/22/2025 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : IKAROS Hand Flare White  
Product code : 341600

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Professional use, Consumer use  
Use of the substance/mixture : Pyrotechnic signal flare

#### 1.3. Details of the supplier of the safety data sheet

Hansson PyroTech AB  
Köpingsvägen 35  
SE-711 31 Lindesberg  
Sweden  
Phone +46 58187250  
E-mail [info@hansson-pyrotech.com](mailto:info@hansson-pyrotech.com)  
Website [www.hansson-pyrotech.com](http://www.hansson-pyrotech.com)

#### 1.4. Emergency telephone number

Organisation	Emergency telephone number	Opening hours
Hansson PyroTech AB, Köpingsvägen 35 SE-711 31 Lindesberg, Sweden	+46 581 87111	24-hour emergency contact

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to GHS

Expl. 1.4 H204  
Acute Tox. 5 (Oral) H303  
Eye Irrit. 2 H319

##### Adverse physicochemical, human health and environmental effects

Fire or projection hazard. May be harmful if swallowed. Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to GHS

Hazard pictograms :



GHS01

Signal word : Warning  
Hazard statements : H204 - Fire or projection hazard.  
Precautionary statements : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P234 - Keep only in original container.  
P240 - Ground and bond container and receiving equipment.

# IKAROS Hand Flare White

## Safety Data Sheet

P250 - Do not subject to grinding/shock/friction.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P370+P372+P380+P373 - In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.  
P370+P380+P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.  
P401 - Store in accordance with local regulations on explosives.  
P501 - Dispose of contents / container to authorised waste disposal facility.

### 2.3. Other hazards

The mixture does not contain substance(s) having endocrine disrupting properties to human or to the environment in concentrations equal to or greater than 0,1 %.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification
Sodium nitrate	CAS No.: 7631-99-4	22.97	Ox. Sol. 3; H272 Acute tox. 4; H302 Eye Irrit. 2; H319
Potassium nitrate	CAS No.: 7757-79-1	21.13	Ox. Sol. 2, H272 Acute Tox. 5 (Oral), H303 Aquatic Acute 1, H400

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Wash skin with plenty of water.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.  
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Contact with burning product can cause severe burns.  
May cause nausea and vomiting if swallowed.  
Causes serious eye irritation.  
May be mildly irritating to the skin and respiratory system.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use foam, dry chemical, CO2 or mist early in the fire.  
Unsuitable extinguishing media : Once the product is lit up, it is very difficult to extinguish with any extinguishing media.

# IKAROS Hand Flare White

## Safety Data Sheet

### 5.2. Special hazards arising from the substance or mixture

Fire or explosion hazard	: Hazard class Expl. 1.4 Fire or projection hazard.
Hazardous decomposition products in case of fire	: Large quantities of explosion gases and heat.

### 5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Move containers away from the fire area if this can be done without risk. Remove all sources of ignition. Do not fight fire when fire reaches explosives. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

#### For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

#### For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See also sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed	: Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Do not subject to grinding, shock, friction. Wear personal protective equipment. Avoid contact with skin and eyes.

# IKAROS Hand Flare White

## Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in accordance with local regulations on explosives.

### 7.3. Specific end use(s)

See section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The product does not contain any substances with established occupational exposure limits for respiratory tract exposure.

Reference: Occupational Safety and Health Administration

### 8.2. Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation.

#### Personal protection equipment

The personal protective equipment must follow the OSHA regulations found in 29 CFR 1910.132 and should be selected on advice from the supplier of such equipment. The protective equipment recommended below are only suggestions, and should be selected on advice from the supplier of such equipment. The protection equipment's suitability and durability will depend on application.

#### Eye and face protection

Wear safety goggles if there is a risk of splash.

Type	Standard
Safety glasses, Face shield	ANSI/ISEA Z87.1-2020: American National Standard For Occupational And Educational Personal Eye And Face Protection Devices

#### Skin protection

Wear suitable protective clothing

#### Hand protection

Protective gloves

Type	Material	Thickness (mm)	Standard
Disposable gloves, Reusable gloves	Leather or similar	No data available	ANSI/ISEA 105-2016 American National Standard For Hand Protection Classification

#### Respiratory protection

Device	Filter type	Condition	Standard
Mask with dust filter	Filter type P2	If dust is produced	type N95

#### Environmental exposure controls

Avoid release to the environment.

# IKAROS Hand Flare White

## Safety Data Sheet

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Black metal tube with white plastic handle, black plastic top lid and orange label
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: The contents are flammable
Explosive properties	: Fire or projection hazard
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: > 250 °C (482 °F)
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Insoluble in water
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid temperature above 75 °C.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

None under normal conditions. See also section 5.2.

# IKAROS Hand Flare White

## Safety Data Sheet

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in GHS

Acute toxicity (oral)	: May be harmful if swallowed ATE <sub>mixture</sub> > 2000 ≤ 5000 mg/kg
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

#### Sodium nitrate (CAS No. 7631-99-4)

LD50 oral rat	1267 mg/kg
---------------	------------

#### Potassium nitrate (CAS No 7757-79-1)

LD50 oral rat	3750 mg/kg
---------------	------------

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

#### IKAROS Hand Flare White

Viscosity, kinematic	Not applicable
----------------------	----------------

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) having endocrine disrupting properties to human in concentrations equal to or greater than 0,1 %.
--	---

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
--	---

Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)
---	---

#### Sodium nitrate (CAS No. 7631-99-4)

LC50 - Fish [1]	994 mg/l Oncorhynchus tshawytscha
-----------------	-----------------------------------

# IKAROS Hand Flare White

## Safety Data Sheet

Potassium nitrate (CAS No 7757-79-1)	
LC50 - Fish [1]	22.5 mg/l <i>Gambusia affinis</i>
EC50 - Crustacea [1]	5.4 mg/l <i>Daphnia magna</i>
EC50 72h - Algae [1]	0.14 mg/l

### 12.2. Persistence and degradability

IKAROS Hand Flare White	
Persistence and degradability	Biodegradability determining methods are not relevant for inorganic substances

### 12.3. Bioaccumulative potential

Potassium nitrate (CAS No 7757-79-1)	
Partition coefficient n-octanol/water (Log Pow)	< 0

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

IKAROS Hand Flare White	
The criteria for PBT/vPvB are not relevant for inorganic substances.	
PBT: Persistent Bioaccumulative Toxic	
vPvB: Very Persistent and Very Bioaccumulative	

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) having endocrine disrupting properties to the environment in concentrations equal to or greater than 0,1 %.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to 40 Code of Federal Regulations (CFR) Part 261.
Waste treatment methods	: Hazardous waste as regulated under RCRA - Resource Conservation and Recovery Authorization Act Hazardous waste. Waste fireworks may be RCRA hazardous waste due to their ignitability, toxicity, and/or reactive nature. The owner or operator must take precautions to prevent accidental ignition or reaction of ignitable or reactive waste. This waste must be separated and protected from sources of ignition or reaction including but not limited to: open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), spontaneous ignition (e.g., from heat-producing chemical reactions), and radiant heat. While ignitable or reactive waste is being handled, the owner or operator must confine smoking and open flame to specifically designated locations. "No Smoking" signs must be conspicuously placed wherever there is a hazard from ignitable or reactive waste.

# IKAROS Hand Flare White

## Safety Data Sheet

Additional information : Do not re-use empty containers.

EPA Hazardous Waste Number : D001 (Ignitable)

### SECTION 14: Transport information

US Department of Transportation Reference number: EX2006030025

Packaging in cardboard may be transported with UN 0191: Swedish Civil Contingencies Agency (MSB) Cert No: 2025-05124

Hazmat Table (49 CFR 172.101) Road / Rail	IMDG Sea	IATA Air
<b>14.1. UN number or ID number</b>		
UN 0191	UN 0191	UN 0191
<b>14.2. UN proper shipping name</b>		
SIGNAL DEVICES, HAND	SIGNAL DEVICES, HAND	SIGNAL DEVICES, HAND
<b>Transport document description</b>		
UN 0191 SIGNAL DEVICES, HAND, 1.4G	UN 0191 SIGNAL DEVICES, HAND, 1.4G	UN 0191 SIGNAL DEVICES, HAND, 1.4G
<b>14.3. Transport hazard class(es)</b>		
1.4G	1.4G	1.4G
<b>14.4. Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Marine pollutant: No EmS-No. (Fire): F-B EmS-No. (Spillage): S-X	Dangerous for the environment: No

Packaging of inner packaging of steel cage and outer packaging of fibreboard box may be transported under UN 0373: Swedish Civil Contingencies Agency (MSB) Cert No: 2025-05124

Hazmat Table (49 CFR 172.101) Road / Rail	IMDG Sea	IATA Air
<b>14.1. UN number or ID number</b>		
UN 0373	UN 0373	UN 0373
<b>14.2. UN proper shipping name</b>		
SIGNAL DEVICES, HAND	SIGNAL DEVICES, HAND	SIGNAL DEVICES, HAND
<b>Transport document description</b>		
UN 0373 SIGNAL DEVICES, HAND, 1.4S	UN 0373 SIGNAL DEVICES, HAND, 1.4S	UN 0373 SIGNAL DEVICES, HAND, 1.4S

# IKAROS Hand Flare White

## Safety Data Sheet

Hazmat Table (49 CFR 172.101) Road / Rail	IMDG Sea	IATA Air
<b>14.3. Transport hazard class(es)</b>		
1.4S	1.4S	1.4S
<b>14.4. Packing group</b>		
Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: No	Marine pollutant: No EmS-No. (Fire): F-B EmS-No. (Spillage): S-X	Dangerous for the environment: No

### 14.6. Special precautions for user

See Precautionary statements in Section 2.2

#### Overland transport

Response Guide 112

Packing instructions : P135

#### Transport by sea

Packing instructions (IMDG) : P135

Stowage category (IMDG) : 03

Stowage and handling (IMDG) : SW1

Properties and observations (IMDG) : See glossary of terms in appendix B.

#### Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden

PCA limited quantity max net quantity (IATA) : Forbidden

PCA packing instructions (IATA) : Forbidden

PCA max net quantity (IATA) : Forbidden

CAO packing instructions (IATA) : 135

CAO max net quantity (IATA) : 75kg

Special provisions (IATA) : A802

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# IKAROS Hand Flare White

## Safety Data Sheet

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### US FEDERAL

###### TSCA:

CAS No 7631-99-4 Nitric acid sodium salt (1:1) is listed on the TSCA inventory list, Active

CAS No 7757-79-1 Nitric acid potassium salt (1:1) is listed on the TSCA inventory list, Active

###### NFPA rating

Flammability (NFPA rating; red): 2 (Materials that must be moderately heated before ignition can occur)  
Health (NFPA rating; blue): 1 (Materials that cause irritation upon exposure, but only minor injury is sustained even if no medical treatment is provided)  
Instability-reactivity (NFPA rating; yellow): 1 (Normally stable, even under fire exposure conditions, and is not reactive with water)

#### 15.2. Chemical safety assessment

Not applicable (out of EU-REACH scope).

### SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	Added
1.4	Emergency telephone number	Modified

#### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

# IKAROS Hand Flare White

## Safety Data Sheet

Abbreviations and acronyms:	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS No.	Chemical Abstract Service number
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Expl. 1.4	Explosives, Division 1.4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 2	Oxidising Solids, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
H204	Fire or projection hazard.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Classification and procedure used to derive the classification for the mixture		
Expl. 1.4	H204	Tested
Acute Tox. 5 (Oral)	H303	Calculation method
Eye Irrit. 2	H319	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.