
 <b>IKAROS</b>	<b>SAFETY DATA SHEET</b> <b>IKAROS Buoyant Smoke 3 Minute</b>	 <b>IKAROS</b>
--	--	--

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

## SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 01.03.2017

Revision date 20.12.2023

### 1.1. Product identifier

Product name IKAROS Buoyant Smoke 3 Minute

Article no. 342130

Product definition 10 g ignition composition and 260 g orange smoke composition. Net Explosive Weight: 270 g ± 5%

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance / mixture Buoyant smoke.

### 1.3. Details of the supplier of the safety data sheet

Company name Hansson PyroTech AB

Postal address Köpingsvägen 35

Postcode 711 31

City Lindesberg

Country Sweden

Telephone number +46 58187250

Email [info@hansson-pyrotech.com](mailto:info@hansson-pyrotech.com)

Website [www.hansson-pyrotech.com](http://www.hansson-pyrotech.com)

### 1.4. Emergency telephone number

Emergency telephone Telephone number: +46 581 87 147

Description: Available 24 hours.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to  
Regulation (EC) No 1272/2008  
[CLP / GHS]

Expl. 1.4; H204  
Skin Irrit. 2; H315  
Skin Sens. 1; H317  
Eye Irrit. 2; H319  
STOT SE 3; H335  
Aquatic Chronic 2; H411

Substance / mixture hazardous  
properties

Main health hazard: Pyrotechnic product. Inhalation: Respiratory irritant. Contact with skin: Irritating to the skin. May cause an allergic skin reaction. Contact with burning product can cause severe burns. Contact with eyes: Causes serious eye irritation. Ingestion: May cause nausea and vomiting. Fire and explosion hazard: Risk of explosion if the product is exposed to electric shock, friction, fire or other sources of ignition. Environmental hazard: Toxic to aquatic life with long-lasting effects.

### 2.2. Label elements

#### Hazard pictograms (CLP)



Composition on the label

Potassium chlorate, 1,4-Dihydroxy-9,10-anthraquinone

Signal word

Warning

Hazard statements

H204 Fire or projection hazard.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P240 Ground and bond container and receiving equipment. P250 Do not subject to grinding / shock / friction / . P280 Wear protective gloves / protective clothing / eye protection / face protection. P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives. P370+P380+P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. P401 Store in accordance with national regulation. P501 Dispose of contents / container to authorised waste disposal facility.

Special rules on packaging (CLP)

In accordance with Article 23 and marginal 1.3.5 of the CLP, the specific provisions on labelling laid down in section 1.3 of Annex I shall apply in respect of the followings:  
(e) explosives, as referred to in section 2.1 of Annex I, placed on the market with a view to obtaining an explosive or pyrotechnic effect.

1.3.5 Explosives placed on the market with a view to obtaining an explosive or pyrotechnic effect.

Explosives, as referred to in section 2.1, placed on the market with a view to obtaining an explosive or pyrotechnic effect shall be labelled and packaged in

accordance with the requirements for explosives only.

## 2.3. Other hazards

Health effect Contact with burning product can cause severe burns.

## SECTION 3: Composition / information on ingredients

### 3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Potassium chlorate	CAS No.: 3811-04-9 EC No.: 223-289-7 Index No.: 017-004-00-3	Ox. Sol. 1; H271; Acute tox. 4; H332; Acute tox. 4; H302; Aquatic Chronic 2; H411;	= 27,5 %	
1,4-Dihydroxy-9,10-anthraquinone	CAS No.: 81-64-1 EC No.: 201-368-7	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT SE 3; H335	= 33,6 %	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	Contaminated work clothing should be washed before using again. Special treatment is urgent (see label on this label).
Inhalation	Move the person to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.
Skin contact	If burned, rinse with plenty of water for at least 20 minutes. In case of any other contact with skin, wash with soap and water for several minutes.
Eye contact	Hold eyelids open and rinse with soft, lukewarm water or eye wash liquid for at least five minutes. Remove contact lenses. Consult a doctor if symptoms persist.
Ingestion	Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Contact with burning product can cause severe burns. May cause nausea and vomiting. Causes serious eye irritation. Irritating to the skin. May cause an allergic skin reaction. Irritating to the respiratory system.
----------------------------	---

### 4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment	None other than the one listed above.
-------------------	---------------------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	Use foam, dry chemical, CO2 or mist early in the fire. Once the product is lit up, it is very difficult to extinguish.
Improper extinguishing media	No restrictions.

## 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

The product is an explosion hazard, as it generates large quantities of gas and heat, once lit.

## 5.3. Advice for firefighters

Personal protective equipment

Wear full protective clothing for chemical fires, including breathing apparatus. If possible, remove undamaged containers from the danger area. Remove all ignition sources.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures

Ensure good ventilation. Use appropriate protective equipment, see section 8. Avoid skin and eye contact. Remove all ignition sources.

### 6.2. Environmental precautions

Environmental precautionary measures

Prevent discharge into sewers or the local environment/streams. Contact emergency services upon greater emissions.

### 6.3. Methods and material for containment and cleaning up

Containment

Collect with tools that do not give rise to ignition.

Clean up

The waste is placed in closed containers and disposed of as hazardous waste in accordance with section 13.

### 6.4. Reference to other sections

Other instructions

See sections 8 and 13 for information about protection and waste management.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Handling

Avoid sparks, shock and friction. Use personal protective equipment, see section 8. Avoid skin and eye contact. Protect the product from sources of ignition.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage

Store cool and dry in a well-ventilated place. Keep away from sources of ignition - no smoking. Keep out of reach of children.

### 7.3. Specific end use(s)

Specific use(s)

Buoyant smoke.

## SECTION 8: Exposure controls / personal protection

### 8.1. Control parameters

Control parameters comments

Not known.

## 8.2. Exposure controls

### Precautionary measures to prevent exposure

Appropriate engineering controls      Keep away from fire, sparks and other ignition sources. When cleaning, use equipment that does not cause sparks.

### Eye / face protection

Suitable eye protection      Shatter-proof glasses or goggles.

### Hand protection

Suitable materials      Leather or similar protective gloves.

### Skin protection

Skin protection remark      DO NOT SMOKE IN WORK AREA!

### Respiratory protection

Respiratory protection, general      Upon dust formation, use a particle filter EN143 Type P or EN149 type FFP-S.

Recommended type of equipment      Particle filter EN143 Type P or EN149 type FFP-S.

### Hygiene / environmental

Personal protection equipment, comments      Contact your protective equipment supplier for more information.

Specific hygiene measures      No smoking.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state      Red metal can with red / white label and red cap.

Colour      See under "Physical state".

Odour      None.

pH      Status: In delivery state  
Comments: No information available.

Status: In aqueous solution  
Comments: No information available.

Melting point / melting range      Comments: No information available.

Boiling point / boiling range      Comments: No information available.

Flash point      Comments: No information available.

Evaporation rate      Comments: No information available.

Flammability      The contents are flammable.

Explosion limit      Comments: No information available.

Vapour pressure      Comments: No information available.

Vapour density	Comments: No information available.
Relative density	Comments: No information available.
Solubility	Comments: Insoluble in water.
Auto-ignition temperature	Value: > 200 °C Method: Ignition temperature
Viscosity	Comments: No information available.
Explosive properties	The product is explosive. Emits orange smoke.
Oxidising properties	Content is oxidizing.

## 9.2. Other information

### 9.2.2. Other safety characteristics

Comments	These are typical values and do not constitute an exact product specification.
----------	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity	Stable product under recommended storage and handling conditions.
------------	---

### 10.2. Chemical stability

Stability	Stable product under recommended storage and handling conditions.
-----------	---

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Stable product under recommended storage and handling conditions.
------------------------------------	---

### 10.4. Conditions to avoid

Conditions to avoid	Avoids temperatures above 75°C.
---------------------	---------------------------------

### 10.5. Incompatible materials

Materials to avoid	Not applicable.
--------------------	-----------------

### 10.6. Hazardous decomposition products

Hazardous decomposition products	The product is explosive, generating large quantities of gas and heat once ignited. Also emits large quantities of orange smoke.
----------------------------------	--

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Substance	1,4-Dihydroxy-9,10-anthraquinone
Acute toxicity	<b>Effect tested:</b> LD50 <b>Route of exposure:</b> Oral <b>Value:</b> > 5000 mg/kg bw

	<b>Animal test species:</b> Rat
	<b>Comments:</b> Non-acute toxic
Other toxicological data	No data available for the product itself. The data below is based on individual ingredients of the product.

### Other information regarding health hazards

General respiratory or skin sensitisation Irritating to the respiratory system.

Inhalation Powder may be irritating to the respiratory system.

Skin contact Irritating to the skin.

Eye contact Causes serious eye irritation.

Ingestion May cause nausea and vomiting.

Sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity, human experience No known mutagenicity.

Carcinogenicity, other information No known carcinogenicity.

Reproductive toxicity No known reproductive toxicity.

### Symptoms of exposure

In case of ingestion Nausea and vomiting.

In case of skin contact May cause an allergic skin reaction. Irritating to skin.

In case of inhalation May be irritating to the respiratory system.

In case of eye contact Causes serious eye irritation.

## 11.2 Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecotoxicity Producted has not been tested. The data below is based on individual ingredients of the product. The product is toxic to aquatic life with long-lasting effects.

### 12.2. Persistence and degradability

Persistence and degradability description/evaluation Not applicable. Contains inorganic materials and is in solid form.

### 12.3. Bioaccumulative potential

Substance 1,4-Dihydroxy-9,10-anthraquinone

Bioconcentration factor (BCF) **Value:** = 30,9

Bioaccumulation, comments No bioaccumulation expected.

### 12.4. Mobility in soil

Mobility	None – product in form of solid article.
----------	--

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	This product does not contain any PBT or vPvB substances.
------------------------------------	---

## 12.6. Endocrine disrupting properties

## 12.7. Other adverse effects

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Contaminated packaging may pose a fire hazard. Waste should be kept in separate container. NO SMOKING! Unused product is hazardous waste and must be disposed of in accordance with national and local regulations. Contact approved waste disposal service to dispose of this material.
Appropriate methods of disposal for the contaminated packaging	Used product treated as ordinary plastic / metallic waste. DO NOT TRY TO DISASSEMBLE UNUSED PRODUCT! Contaminated packaging may pose a fire hazard.
EWC waste code	EWC waste code: 160402 fireworks wastes Classified as hazardous waste: Yes
Other information	Contaminated packing may burn rapidly.

# SECTION 14: Transport information

Dangerous goods	Yes
-----------------	-----

## 14.1. UN number

ADR/RID/ADN	0197
IMDG	0197
ICAO/IATA	0197

Comments	Packaging in cardboard : 1.4G UN-number: UN 0197 SIGNALS, SMOKE Packaging instructions: P135 Packaging in steel cage and cardboard: 1.4S UN-number: UN 0507 SIGNALS, SMOKE Swedish Civil Contingencies Agency (MSB) Cert. No: 2018-06533
----------	---

## 14.2. UN proper shipping name

Proper shipping name English	SIGNALS, SMOKE
ADR/RID/ADN	SIGNALS, SMOKE
ADR/RID/ADN	SIGNALS, SMOKE
IMDG	SIGNALS, SMOKE
ICAO/IATA	SIGNALS, SMOKE



### 14.3. Transport hazard class(es)

ADR/RID/ADN 1.4G

Classification code ADR/RID/ADN 1.4G

IMDG 1.4G

ICAO/IATA 1.4G

### 14.4. Packing group

### 14.5. Environmental hazards

IMDG Marine pollutant Yes

### 14.6. Special precautions for user

Special safety precautions for user See P-statements in Section 2.2.

### 14.7. Maritime transport in bulk according to IMO instruments

Product name SIGNALS, SMOKE

### Additional information

Hazard label ADR/RID/ADN 1.4G

Hazard label IMDG 1.4G

Hazard label ICAO/IATA 1.4G

### ADR/RID Other information

Tunnel restriction code E

Transport category 2

### IMDG Other information

EmS F-B, S-X

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations Safety data sheet and classification in accordance with regulation 1272/2008 /EC (CLP) and regulation 830/2015/EC.

### 15.2. Chemical safety assessment

Chemical safety assessment performed Yes

## SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)	H204 Fire or projection hazard. H271 May cause fire or explosion; strong oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects.
CLP classification, comments	Classification and labelling are based on CLP (Regulation 1272/2008/EC and Regulation 830/2015/EC)
Last update date	20.12.2023
Version	12